



2 / 36




Figure 2

3 / 36




Figure 3A

From Figure 3A

4 / 36





Figure 3B

FIG. 3A

FIG. 3B

FIG. 3



31°C = Pre-selected temperature
 $31\frac{1}{2}^{\circ}\text{C}$ = Upper variance set point
 $30\frac{1}{2}^{\circ}\text{C}$ = Lower variance set point

Figure 4

6 / 36




Figure 5A

7 / 36




Figure 5B




Figure 5C

8 / 36




Figure 5D

9 / 36




Figure 5E

10 / 36




Figure 5F

11 / 36






Figure 5G

12 / 36



13 / 36




Figure 6B

14 / 36




Figure 7A




Figure 7B

15 / 36




Figure 7C





Figure 7D



17 / 36




Figure 9



Figure 10A




Figure 10B

20 / 36










Figure 10C





23 / 36

Figure 13B





25 / 36




Figure 13E

26 / 36




Figure 14A

+




Figure 14B




Figure 14G




Figure 14C




Figure 14F

+



29 / 36





Figure 14E

30 / 36

Figure 15A



31 / 36




Figure 15B

32 / 36




Figure 15C




Figure 15D

34 / 36




Figure 16A




Figure 16B




Figure 16C

35 / 36




Figure 17A




Figure 17B

36 / 36




Figure 18A




Figure 18B




Figure 18C